

## MATERIAL SAFETY DATA SHEET

Ver.:C/0

### INTRODUCTION

Continuous Filament Glass Fiber does not contain harmful substances listed by Occupational Safety and Health Act, the version (GHS Edition) is released only at the request of customers

### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name: Continuous Filament Glass Fiber Products

Synonyms: Multi-End Rovings, ECT Multi-End Rovings, ECR Multi-End Rovings, TM Multi-End Rovings, SMC Rovings, Spray-up Rovings, Panel Rovings, Chop Rovings, Pultrusion Rovings, Direct Rovings, ECT Direct Rovings, ECR Direct Rovings, TM Direct Rovings, Filament Winding Rovings, Pultrusion Rovings, Weaving and Knitting Rovings, Chopped Strands, ECT Chopped Strands, ECR Chopped Strands, TM Chopped Strands, FRTP, BMC, Wet-Chop Strands, Yarn, Milled Glass fiber

Manufacturer Name: Chongqing Polycomp International Corp.

Address: Dadukou District Chongqing P.R. of China  
Postcode: 400082

Customer Service Phone Number: +86-23-68157859

Emergency Phone Number: +86-23-68157818 (China)  
+1-405-420-4910 (USA)  
+33 (0)3 44212706 (Europe)

Website: [www.cpicfiber.com](http://www.cpicfiber.com)

MSDS Creation Date: January 1, 2008  
MSDS Revision Date: June 17, 2013

### SECTION 2 –HAZARDS IDENTIFICATION

GHS classification : Skin corrosion / irritation: Category 2 (irritating)  
Serious eye damage / eye irritation: Category 2B (mildly spicy)  
Specific target organ toxicity: Category 3 (respiratory tract irritation)  
\* No dangerous harm, it is not be classified

(MSDS continued)

GHS –Labelling :



\*Continuous filament fiberglass products are molded product . The GHS classification guidance for enterprise is not applicable for Molded products ; the product label diagram is not taken.

Signal words :

Warning

Risk statement :

Skin irritation

Mild eye irritation

Easily lead to respiratory tract irritation disease

Precautionary statement:

Contacting the glass fiber can cause skin, throat, nose transient itching, pain.

Please wear loose long-sleeved clothing, protective gloves, protective glasses and a dust mask.

After use CFGF, washing hands with warm water, soap, rinse the mouth.

If chopped, quickly pack into the bag, pay attention to dust.

Please wash work cloth separately from other clothing.

If itching persists, call a physician.

### SECTION 3 –COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name

CAS#

Ingredient Percent

Sizing:

Not Available  
(Proprietary)

0 – 3 by weight

Fiber Glass (continuous filament, non-respirable):

65997-17-3

97 – 100 by weight

As manufactured continuous filament glass fibers are non-respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards. See Section 8 for Exposure Limit Data.

Non-Hazardous Statement:

The remaining components of this product are non-hazardous or are in a small enough quantity as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

### SECTION 4 – FIRST AID MEASURES

(MSDS continued)

Eye Contact:	Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Do not rub or scratch eyes. If eye irritation persists, consult a specialist.
Skin Contact:	Wash off immediately with mild soap and cold water. Do not use warm water because this will open up the pores of the skin, which will cause further penetration of the fibers. Use a wash cloth to help remove fibers. Do not rub or scratch affected areas. Remove contaminated clothing. If irritation persists get medical attention.
Inhalation:	Move to fresh air. If symptoms persist, call a physician.
Ingestion:	Accidental ingestion of this material is unlikely. If this does occur, watch person for several days to make sure intestinal blockage does not occur. Rinse mouth with water and drink water to remove fibers from the throat. If symptoms persist, call a physician.
Note to Physicians:	Treat symptomatically

## SECTION 5 – FIRE FIGHTING MEASURES

Flammable Properties:	Non Flammable.
Flash Point:	Not available.
Auto Ignition Temperature:	Does not apply.
Lower Flammable/Explosive Limit:	Not available.
Upper Flammable/Explosive Limit:	Not available.
Extinguishing Media:	Dry chemical, foam, carbon dioxide (CO <sub>2</sub> ), water fog
Protective Equipment:	Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear.
Hazardous Combustion Byproducts:	Carbon monoxide, carbon dioxide, hydrogen, other undetermined compounds could be released in small quantities.
Universal Fire and Explosion Hazards:	Not available

### **NFPA Ratings:**

(MSDS continued)

NFPA Health: 1  
NFPA Flammability: 0  
NFPA Reactivity: 0  
NFPA Other:

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Avoid contact with skin and eyes.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

Methods for containment: This material will settle out of the air.  
Prevent from spreading by covering, diking or other means.

Methods for cleanup: Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination.  
Avoid dry sweeping. Dampen with water and sweep.  
Pick up and transfer to properly labeled containers.

Other Precautions: Does not apply.

#### SECTION 7 – HANDLING AND STORAGE

Handling: Avoid dust formation.  
Do not breathe dust.  
Wear personal protective equipment.

Storage: Keep product in its packaging until use to minimize potential dust generation.  
Product should be kept dry and undercover.

Hygiene Practices: Wash hands before breaks and immediately after handling the product.  
Remove and wash contaminated clothing before re-use.

#### SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION – EXPOSURE GUIDELINES

Engineering Controls: Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits.  
Dust collection system must be used in transferring operations, cutting or machining or other dust generating processes, such as using power tools.  
Vacuum or wet clean-up methods should be used.

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection Description: Protective gloves.

(MSDS continued)

Long sleeved shirt and long pants.

**Respiratory Protection:** When workers are facing airborne particulate/dust concentrations above the exposure limit they must use appropriate certified respirators. A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended. Consult with your company's local procedures for selection, training, inspection and maintenance of respirators. Otherwise, consult the NIOSH website ([http://www.cdc.gov/niosh/npptl/topics/respirators/disp\\_part](http://www.cdc.gov/niosh/npptl/topics/respirators/disp_part)) for a list of dust respirator types and approved suppliers.

**General Hygiene Considerations:** Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

**EXPOSURE GUIDELINES:**

	<b>Guideline OSHA</b>	<b>Guideline ACGIH</b>	<b>Ontario Canada</b>	<b>Mexico</b>
Fiber Glass (continuous filament, non-respirable)	PEL-TWA: 1 f/cc (Respirable)	TLV-TWA: 1 f/cc (Respirable) 5 mg/m <sup>3</sup> (Inhalable)	TWAEV: 1 f/cc (Respirable) 5 mg/m <sup>3</sup> (Inhalable)	TWA: 10 mg/m <sup>3</sup>

**SECTION 9 – PHYSICAL and CHEMICAL PROPERTIES**

Color:	White
Odor:	Odorless
Boiling Point:	No Data
Melting Point:	> 800 °C
Specific Gravity:	2.54 g/cm <sup>3</sup> (Ref: water = 1)
Solubility:	Insoluble in water
Vapor Density:	No Data
Vapor Pressure:	No Data
Evaporation Rate:	No Data
pH:	No Data
Viscosity:	Not applicable
Flash Point:	Not available (May emit slight smoke briefly above 120 °C)
Auto Ignition Temperature:	Does not apply

**SECTION 10 – STABILITY and REACTIVITY**

Chemical Stability:	Stable under normal conditions.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	None expected.
Incompatible Materials:	No materials to be especially mentioned.
Special Decomposition	

(MSDS continued)

Products: See Section 5 of MSDS for hazardous decomposition products during a fire.

## SECTION 11 – TOXICOLOGICAL INFORMATION

### **Applies to Product:**

Acute Toxicity: No classification  
Skin irritation: Category 2 (irritating)  
Eye irritation: Category 2B (mildly spicy)  
Specific target organ toxicity: Category 3 (respiratory tract irritation)

### **Carcinogens:**

	<b>ACGIH</b>	<b>NIOSH</b>	<b>OSHA</b>	<b>IARC</b>	<b>NTP</b>	<b>MEXICO</b>
<b>Fiber Glass (continuous Filament, non-respirable)</b>	A4 Not Classifiable as a Human Carcinogen	No Data	No Data	Group 3 – Not Classifiable as to its Carcinogenicity to Humans	No Data	No Data

Specific target organ toxicity (single exposure) : The third category (Respiratory tract irritation)  
Exposed to the environment causes respiratory tract irritation, exposure irritation disappears without exposure

Specific target organ toxicity (repeated exposure) : No classification

### **Applies to Product:**

Sensitization: No information available.  
Mutagenicity: No information available.  
Reproductive Toxicity: No information available.  
Teratogenicity: No information available.  
Inhalation toxicity: No information available.  
Neurological Effects: No information available.

## SECTION 12 – ECOLOGICAL INFORMATION

### **Applies to Product:**

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish.  
Bioaccumulation: Not available.  
Biodegradation: Not available.  
Mobility in Environmental Media: Not available.

## SECTION 13 – DISPOSAL CONSIDERATIONS

### **Applies to Product:**

Waste Disposal:	Dispose of in accordance with Local, State, Federal and Provincial regulations.
Contaminated Packaging:	Empty containers should be taken for local recycling, recover or waste disposal.
RCRA Number:	No EPA Waste Numbers are applicable for this product's components.
RCRA Characteristics:	This material is not expected to be a characteristic hazardous waste under RCRA.

## SECTION 14 – TRANSPORT INFORMATION

DOT Shipping Name:	Not regulated.
IATA Shipping Name:	Not regulated.
Canadian Shipping Name:	Not regulated.
IMDG Shipping Name:	Not regulated.
ADR Shipping Name:	Not regulated.
RID Shipping Name:	Not regulated.
ICAO Shipping Name:	Not regulated.
MEX Shipping Name:	Not regulated.

## SECTION 15 – REGULATORY INFORMATION

### **Inventory Status**

Continuous filament glass fiber products are articles under the chemicals inventories listed below and consequently are exempt from listing on these inventories:

<b>AICS</b>	Australian Inventory of Chemical Substances
<b>EINECS/ELINCS</b>	European Inventory of Existing Chemical Substances
<b>ENCS</b>	Japan Inventory of Existing & New Chemical Substances
<b>CSCL</b>	Japan Chemical Substances Control Law under METI
<b>IECSC</b>	China Inventory of Existing Chemical Substances
<b>KECL</b>	South Korea's Existing Chemical List
<b>DSL/NDSL</b>	Canadian Chemical Registration Regulations
<b>PICCS</b>	Philippine Inventory of Chemicals and Chemical Substances
<b>TSCA</b>	US EPA Toxic Substances Control Act

### **Applies to Product:**

EEC Labels:	Non-dangerous goods and no labeling necessary according to 67/548/EEC
-------------	---

(MSDS continued)

Canada Reg. Status: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

Canada WHMIS: Not Controlled.

CA PROP 65: The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This product does not contain any Proposition 65 chemicals.

SARA: This product does not contain any chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III (40CFR, Part 372).

Section 311/312 Hazard Categories:

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Risk of ignition:	No
Sudden Release of Pressure Hazard:	No
Reactive Hazard:	No

Clean Air Act: This product does not contain any Hazardous Air Pollutants (HAPs).

**State Right To Know**

	<b>RI</b>	<b>MN</b>	<b>IL</b>	<b>PA</b>	<b>MA</b>	<b>NJ</b>
Fiber Glass (continuous filament, non-respirable)	No Data	Listed	No Data	No Data	No Data	No Data

**SECTION 16 – ADDITIONAL INFORMATION**

HMIS Health Hazard:	1
HMIS Fire Hazard:	0
HMIS Reactivity:	0
HMIS Personal Protection:	X

MSDS Creation Date: January 01, 2008

MSDS Revision Date: March 19, 2010

MSDS Revision Notes: Formatting and Information updating.

Disclaimer: Reasonable care has been taken in the preparation of this information. This information is given in good faith and given herein is based on our experience of this material. However the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.