

MATERIAL SAFETY DATA SHEET

Ver.:C/0

INTRODUCTION

Continuous Filament Glass Fiber does not contain harmful substances listed by Occupational Safety and Health Act, the version (GHS Edition) is released only at the request of customers

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: Continuous Filament Glass Fiber Products

Synonyms: Multi-End Rovings, ECT Multi-End Rovings, ECR Multi-End Rovings, TM

Multi-End Rovings, SMC Rovings, Spray-up Rovings, Panel Rovings, Chop Rovings, Pultrusion Rovings, Direct Rovings, ECT Direct Rovings, ECR Direct Rovings, TM Direct Rovings, Filament Winding Rovings, Pultrusion Rovings, Weaving and Knitting Rovings, Chopped Strands, ECT Chopped Strands, ECR Chopped Strands, TM Chopped Strands, FRTP, BMC, Wet-

Chop Strands, Yarn, Milled Glass fiber

Manufacturer Name: Chongqing Polycomp International Corp.

Address: Dadukou District Chongqing P.R. of China

Postcode: 400082

Customer Service Phone Number:

+86-23-68157859

Emergency Phone Number: +86-23-68157818 (China)

+1-405-420-4910 (USA) +33 (0)3 44212706 (Europe)

Website: www.cpicfiber.com

MSDS Creation Date: January 1, 2008 MSDS Revision Date: June 17, 2013

SECTION 2 -HAZARDS IDENTIFICATION

GHS classification : Skin corrosion / irritation: Category 2 (irritating)

Serious eye damage / eye irritation: Category 2B (mildly spicy)

Specific t target organ toxicity: Category 3 (respiratory tract irritation)

* No dangerous harm, it is not be classified

GHS -Labelling



*Continuous filament fiberglass products are molded product . The GHS classification guidance for enterprise is not applicable for

Molded products; the product label diagram is not taken.

Signal words Warning

Skin irritation Risk statement : Mild eye irritation

Easily lead to respiratory tract irritation disease

Precautionary statement: Contacting the glass fiber can cause skin, throat, nose transient

itching, pain.

Please wear loose long-sleeved clothing, protective gloves, protective

glasses and a dust mask.

After use CFGF, washing hands with warm water, soap, rinse the

mouth.

If chopped, quickly pack into the bag, pay attention to dust. Please wash work cloth separately from other clothing.

If itching persists, call a physician.

SECTION 3 -COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS# **Ingredient Percent**

Not Available 0 - 3 by weight Sizing:

(Proprietary)

Fiber Glass (continuous 65997-17-3 97 – 100 by weight

filament, non-respirable): As manufactured continuous filament glass fibers are non-respirable.

> Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which

may be glass shards. See Section 8 for Exposure Limit Data.

Non-Hazardous Statement: The remaining components of this product are non-hazardous or are in

> a small enough quantity as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities

which would influence the classification of this product.

SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20

minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Do not rub or scratch eyes. If eye irritation persists,

consult a specialist.

Skin Contact: Wash off immediately with mild soap and cold water. Do not use warm

water because this will open up the pores of the skin, which will cause further penetration of the fibers. Use a wash cloth to help remove fibers. Do not rub or scratch affected areas. Remove contaminated

clothing. If irritation persists get medical attention.

Inhalation: Move to fresh air. If symptoms persist, call a physician.

Ingestion: Accidental ingestion of this material is unlikely. If this does occur, watch

person for several days to make sure intestinal blockage does not occur. Rinse mouth with water and drink water to remove fibers from the

throat. If symptoms persist, call a physician.

Note to Physicians: Treat symptomatically

SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable.

Flash Point: Not available.

Auto Ignition Temperature: Does not apply.

Lower Flammable/Explosive

Limit:

Not available.

Upper Flammable/Explosive

Limit:

Not available.

Extinguishing Media: Dry chemical, foam, carbon dioxide (CO2), water fog

Protective Equipment: Wear self-contained breathing apparatus (SCBA) and full fire fighting

protective gear.

Hazardous Combustion

Byproducts: Carbon monoxide, carbon dioxide, hydrogen, other undetermined

compounds could be released in small quantities.

Universal Fire and Explosion

Hazards:

Not available

NFPA Ratings:

Continuous Filament Glass Fiber Products Revision: 06/17/2013

Chongqing Polycomp International Corporation
Page 3 of 8

NFPA Health: 1
NFPA Flammability: 0
NFPA Reactivity: 0

NFPA Other:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Avoid contact with skin and eyes.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

Methods for containment: This material will settle out of the air.

Prevent from spreading by covering, diking or other means.

Methods for cleanup: Use an industrial vacuum cleaner with a high efficiency filter to clean up

dust and fiber contamination.

Avoid dry sweeping. Dampen with water and sweep. Pick up and transfer to properly labeled containers.

Other Precautions: Does not apply.

SECTION 7 - HANDLING AND STORAGE

Handling: Avoid dust formation.

Do not breathe dust.

Wear personal protective equipment.

Storage: Keep product in its packaging until use to minimize potential dust

generation.

Product should be kept dry and undercover.

Hygiene Practices: Wash hands before breaks and immediately after handling the product.

Remove and wash contaminated clothing before re-use.

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION – EXPOSURE GUIDELINES

Engineering Controls: Provide local exhaust and/or general ventilation to maintain exposure

below regulatory and recommended limits.

Dust collection system must be used in transferring operations, cutting or machining or other dust generating processes, such as using power

tools.

Vacuum or wet clean-up methods should be used.

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection Description: Protective gloves.

Continuous Filament Glass Fiber Products Chongqing Polycomp International Corporation

Revision: 06/17/2013 Page **4** of **8**

Long sleeved shirt and long pants.

Respiratory Protection: When workers are facing airborne particulate/dust concentrations

above the exposure limit they must use appropriate certified respirators. A properly fitted NIOSH approved disposable N 95 type

dust respirator or better is recommended.

Consult with your company's local procedures for selection, training,

inspection and maintenance of respirators. Otherwise, consult the NIOSH website

(http://www.cdc.gov/niosh/npptl/topics/respirators/disp_part) for a list

of dust respirator types and approved suppliers.

General Hygiene

Considerations: Wash hands before breaks and immediately after handling the product.

Remove and wash contaminated clothing before re-use.

EXPOSURE GUIDELINES:

Guideline OSHA Guideline ACGIH Ontario Canada Mexico

Fiber Glass (continuous PEL-TWA: 1 f/cc TLV-TWA: 1 f/cc TWAEV: 1 f/cc TWA: 10 mg/m³

filament, non-respirable) (Respirable) (Respirable)

5 mg/m³ 5 mg/m³ (Inhalable) (Inhalable)

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Color: White
Odor: Odorless
Boiling Point: No Data
Melting Point: > 800 °C

Specific Gravity: $2.54 \text{ g/cm}^3 \text{ (Ref: water = 1)}$

Solubility: Insoluble in water

Vapor Density:

Vapor Pressure:

Evaporation Rate:

pH:

Viscosity:

No Data

No Data

No Data

No Data

No Data

No Data

Flash Point: Not available (May emit slight smoke briefly above 120 °C)

Auto Ignition Temperature: Does not apply

SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: None expected.

Incompatible Materials: No materials to be especially mentioned.

Special Decomposition

Continuous Filament Glass Fiber Products

Chongqing Polycomp International Corporation

Page 5 of 8

Revision: 06/17/2013

Products: See Section 5 of MSDS for hazardous decomposition products during a

fire.

SECTION 11 - TOXICOLOGICAL INFORMATION

Applies to Product:

Acute Toxicity: No classification

Skin irritation: Category 2 (irritating) Category 2B (mildly spicy) Eve irritation:

Specific target organ toxicity: Category 3 (respiratory tract irritation)

Carcinogens:

ACGIH NIOSH **OSHA IARC NTP MEXICO Fiber Glass (continuous** A4 Not No Data No Data Group 3 - Not No Data No Data

Filament, non-respirable) Classifiable Classifiable as

> as a Human to its

Carcinogen Carcinogenicity to Humans

Specific target organ toxicity

The third category (Respiratory tract irritation) (single exposure)

Exposed to the environment causes respiratory tract irritation, exposure

irritation disappears without exposure

Specific target organ toxicity

(repeated exposure): No classification

Applies to Product:

Sensitization: No information available. No information available. Mutagenicity: Reproductive Toxicity: No information available. Teratogenicity: No information available. No information available. Inhalation toxicity **Neurological Effects:** No information available.

SECTION 12 - ECOLOGICAL INFORMATION

Applies to Product:

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish.

Bioaccumulation: Not available. Biodegradation: Not available. Mobility in Environmental Not available.

Media:

Continuous Filament Glass Fiber Products

Chongging Polycomp International Corporation Page 6 of 8 Revision: 06/17/2013

SECTION 13 – DISPOSAL CONSIDERATIONS

Applies to Product:

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial

regulations.

Contaminated Packaging: Empty containers should be taken for local recycling, recover or waste

disposal.

RCRA Number: No EPA Waste Numbers are applicable for this product's components.

RCRA Characteristics: This material is not expected to be a characteristic hazardous waste

under RCRA.

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Not regulated. Not regulated. IATA Shipping Name: Canadian Shipping Name: Not regulated. Not regulated. **IMDG Shipping Name:** ADR Shipping Name: Not regulated. RID Shipping Name: Not regulated. ICAO Shipping Name: Not regulated. MEX Shipping Name: Not regulated.

SECTION 15 - REGULATORY INFORMATION

Inventory Status

Continuous filament glass fiber products are articles under the chemicals inventories listed below and consequently are exempt from listing on these inventories:

AICS Australian Inventory of Chemical Substances

EINECS/ELINCS
European Inventory of Existing Chemical Substances
Japan Inventory of Existing & New Chemical Substances
CSCL
Japan Chemical Substances Control Law under METI
China Inventory of Existing Chemical Substances

KECL South Korea's Existing Chemical List

DSL/NDSL Canadian Chemical Registration Regulations

PICCS Philippine Inventory of Chemicals and Chemical Substances

TSCA US EPA Toxic Substances Control Act

Applies to Product:

EEC Labels: Non-dangerous goods and no labeling necessary according to

67/548/EEC

Canada Reg. Status: This product has been classified in accordance with the hazard criteria

of the Controlled Products Regulations and the MSDS contains all of the

information required by the Controlled Products Regulations.

Canada WHMIS: Not Controlled.

CA PROP 65: The following statement(s) are provided under the California Safe

Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

This product does not contain any Proposition 65 chemicals.

SARA: This product does not contain any chemicals which are subject to the

reporting requirements of the Superfund Amendments and

Reauthorization Act of 1986 (SARA) Title III (40CFR, Part 372).

Section 311/312 Hazard

Categories: Acute Health Hazard: Yes

Chronic Health Hazard: No
Risk of ignition: No
Sudden Release of Pressure Hazard: No
Reactive Hazard: No

Clean Air Act: This product does not contain any Hazardous Air Pollutants (HAPs).

State Right To Know

RI MN IL PA MA NJ

Fiber Glass (continuous

No Data Listed No Data No Data No Data

filament, non-respirable)

SECTION 16 - ADDITIONAL INFORMATION

HMIS Health Hazard: 1
HMIS Fire Hazard: 0
HMIS Reactivity: 0
HMIS Personal Protection: X

MSDS Creation Date: January 01, 2008 MSDS Revision Date: March 19, 2010

MSDS Revision Notes: Formatting and Information updating.

Disclaimer: Reasonable care has been taken in the preparation of this information.

This information is given in good faith and given herein is based on our experience of this material. However the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or

consequential damages resulting from its use.